



IT Cooling Solutions

Split-Air-3 Series

Telecom Line



STULZ Split-Air-3 precision air conditioner

The **Split-Air-3** is the space and energy-saving version for the reliable cooling of telecommunications containers. This special air-conditioning set with Free Cooling function consists of an evaporator and a compressor-condenser unit.

Because the indoor unit can be installed either on the ceiling or wall, the Split-Air-3 is also suitable for use when space is at a premium. And the low noise level of the outdoor unit means it can be used without problem in residential areas, too.


Technical features

- C2020 microprocessor control
- Quiet operation
- Speed-controlled condenser and evaporator fan
- Automatic restart after power failure
- Backup ventilation via 48V DC emergency power supply
- Outside air conditions -25/+50°C winter/summer
- EU3 air filter
- Refrigerant R407C
- Filter monitor


Options

- High-temperature operation up to 55°C with R134a
- Compressor soft start
- Electric heating
- Condenser with anti-corrosive finish
- Serial interface RS485 for connection to BMS systems
- Installation kit for outdoor unit
- Air intake and blow-out grilles
- Air duct section for indoor unit
- Proportional Free Cooling facility with Mixed mode

With its Telecom Line, STULZ offers a range of professional air-conditioning solutions for the telecommunications infrastructure and for switch cabinets. All units are designed for 24/7 operation, 365 days a year, and offer maximum reliability and availability. Service is guaranteed through a worldwide network of specialist partners and branches.



Up to 83 % energy savings with Mixed mode and Free Cooling



- Energy consumption with the use of Free Cooling and Mixed mode
- Energy consumption without Free Cooling




Indoor unit
Evaporator unit

C2020 microprocessor


- Sequencing incl. alarm switching
- Quiet-running night mode
- Automatic high-pressure alarm reset
- Serial interface for RS485 connection to BMS systems (optional), compatible with all Stulz MIB & WIB gateways
- Separate operator terminal with LCD
- SMS alarm forwarding (optional)




Outdoor unit
Compressor-condenser unit



Free Cooling



Mixed mode



Compressor operation

Free Cooling

At low outside temperatures, cooling is direct with outside air. The outside air is conveyed into the container when the air flap is open. Therefore, when outside temperatures are low, energy-intensive compressor cooling is not necessary.

Mixed mode

Once the outside temperature exceeds a given threshold, Free Cooling alone is no longer sufficient. Then, in Mixed mode, the runtimes of the compressor are kept to a minimum by the simultaneous use of Free Cooling and compressor cooling. In this way, depending on the local temperature profile, the annual energy costs can be cut by a further 10%. The partial load mode of the air conditioner produces further potential savings.

Split-Air-3		SAL40	SAL60	SAL80	SALA0	SALA2	SALA5
Unit type							
Total/sensible cooling capacity ¹⁾	kW	5.0/4.5	6.2/6.2	7.8/7.8	10.9/10.9	12.8/12.8	15.0/14.0
Air flow (compressor operation/Free Cooling)	m ³ /h	1,100/1,450	2,000/2,700	2,000/2,700	2,300/2,750	3,300/3,950	3,300/3,950
Noise level (internal/external) ²⁾	dB(A)	60/48	62/49	62/50	62/51	63/53	63/53
Height/width/depth (indoor unit) ³⁾	mm	350/850/1,160	350/850/1,160	350/850/1,160	410/1,040/1,370	410/1,040/1,370	410/1,040/1,370
Height/width/depth (outdoor unit)	mm	695/1,050/492	695/1,050/492	695/1,050/492	1,334/1,050/491	1,334/1,050/491	1,334/1,050/491
Weight (indoor unit)	kg	53	54	54	75	76	76
Weight (outdoor unit)	kg	82	87	91	138	140	146
Supply voltage ⁴⁾	V/Ph/Hz	400V/3Ph/N/50Hz + 48V DC					

¹⁾ Operating conditions: Inside temperature 27 °C/rel. humidity 40%/outside temperature 35 °C

²⁾ 2 m distance, free-field

³⁾ With Free Cooling module

⁴⁾ Other voltages on request

STULZ Company Headquarters

D **STULZ GmbH**
Holsteiner Chaussee 283 · 22457 Hamburg
Tel.: +49(40)55 85-0 · Fax: +49(40)55 85 352 · products@stulz.de

STULZ Subsidiaries

- AUS** **STULZ AUSTRALIA PTY. LTD.**
34 Bearing Road · Seven Hills NSW 21 47
Tel.: +61(2)96 74 47 00 · Fax: +61(2)96 74 67 22 · sales@stulz.com.au
- AT** **STULZ AUSTRIA GmbH**
Lamezanstraße 9 · 1230 Wien
Tel.: +43(1)615 99 81-0 · Fax: +43(1)616 02 30 · info@stulz.at
- CN** **STULZ AIR TECHNOLOGY AND SERVICES SHANGHAI CO., LTD.**
Room 5505, 1486 West Nanjing Road, JingAn · Shanghai 200040 · P.R. China
Tel.: +86(21)3360 7133 · Fax: +86(21)3360 7138 · info@stulz.cn
- E** **STULZ ESPAÑA S.A.**
Avenida de los Castillos 1034 · 28918 Leganés (Madrid)
Tel.: +34(91)517 83 20 · Fax: +34(91)517 83 21 · info@stulz.es
- F** **STULZ FRANCE S. A. R. L.**
107, Chemin de Ronde · 78290 Croissy-sur-Seine
Tel.: +33(1)34 80 47 70 · Fax: +33(1)34 80 47 79 · info@stulz.fr
- GB** **STULZ U. K. LTD.**
First Quarter · Blenheim Rd. · Epsom · Surrey KT 19 9 QN
Tel.: +44(1372)74 96 66 · Fax: +44(1372)73 94 44 · sales@stulz.co.uk
- I** **STULZ S.P.A.**
Via Torricelli, 3 · 37067 Valeggio sul Mincio (VR)
Tel.: +39(045)633 16 00 · Fax: +39(045)633 16 35 · info@stulz.it
- IN** **STULZ-CHSPL (INDIA) PVT. LTD.**
006, Jagruti Industrial Estate · Mogul Lane, Mahim · Mumbai - 400 016
Tel.: +91(22)56 66 94 46 · Fax: +91(22)56 66 94 48 · info@stulz.in
- NL** **STULZ GROEP B. V.**
Postbus 75 · 1180 AB Amstelveen
Tel.: +31(20)54 51 111 · Fax: +31(20)64 58 764 · stulz@stulz.nl
- NZ** **STULZ NEW ZEALAND LTD.**
Office 71, 300 Richmond Rd. · Grey Lynn · Auckland
Tel.: +64(9)360 32 32 · Fax: +64(9)360 21 80 · sales@stulz.co.nz
- PL** **STULZ POLSKA SP. Z O.O.**
Budynek Mistral · Al. Jerozolimskie 162 · 02 – 342 Warszawa
Tel.: +48(22)883 30 80 · Fax: +48(22)824 26 78 · info@stulz.pl
- SG** **STULZ SINGAPORE PTE. LTD.**
1 Kaki Bukit Road 1 · #02-44 Enterprise One · Singapore 415934
Tel.: +65 9674 3772 · andrew.peh@stulz.sg
- USA** **STULZ AIR TECHNOLOGY SYSTEMS (SATS), INC.**
1572 Tilco Drive · Frederick, MD 21704
Tel.: +1(301)620 20 33 · Fax: +1(301)662 54 87 · info@stulz-ats.com
- ZA** **STULZ SOUTH AFRICA PTY. LTD.**
Unit 18, Jan Smuts Business Park · Jet Park · Boksburg · Gauteng, South Africa
Tel.: +27(0)11 397 2363 · Fax: +27(0)11 397 3945 · aftersales@stulz.co.za

IT Cooling Solutions

Close to you all over the world.

... With specialist, competent partners in our subsidiaries and exclusive sales and service partners around the world. Our five production sites are in Europe, North America and Asia.