

STULZ

CLIMATE. CUSTOMIZED.



Isothermal humidification for better air quality


STULZ SupraSteam electrode steam humidifier – Reliable air humidification not just for exhibition rooms

STULZ SupraSteam – Proven around the world

STULZ SupraSteam is a technically flexible solution for industry and the home as well as museums, exhibition rooms, and building complexes that have to be kept sterile.



- Steam output range from 1.5 kg/h to 65 kg/h
- Simple connection to the drinking water mains
- Several control and connection possibilities
- For direct room and air duct applications
- Patented anti-foaming system (AFS)
- Integrated separation from the drinking water mains
- Integrated conductivity sensor for optimizing steam production, increasing cylinder life, and minimizing running costs through more efficient drainage
- Automatic drainage after longer periods not in service
- Automatic water concentration management



Stulz SupraSteam connection diagram

Features of the integrated control module

The unit's intelligent microprocessor control allows a single cylinder type to be used for different water qualities, improves energy efficiency, and optimizes both water supply and drainage.

- On/Off operation
- Proportional operation via external control signal (e.g., 0–10 V signal)
- Humidity control with humidity sensor (actual value/setpoint comparison)
- Alphanumerical display
- RS485 interface
- Second humidity sensor can be connected as a supply air limit sensor
- Output of zero-potential alarm or status signal
- Continuous output control with all standard control signals

Stulz SupraSteam electrode steam humidifier								
Model	Steam output (kg/h)	Power source (V)	Fusing (A)	Power consumption (kW)	Device dimensions HxWxD (mm)	Empty weight (kg)	No. and cross-section of steam ports (mm)	Permitted air duct pressure (Pa)
SEH0011H23E2	1,5	230	10	1,13	620×365×275	13,5	1×22	+2.000
SEH0031H23E2	3,0	230	16	2,25	620×365×275	13,5	1×22	+2.000
SEH0033H40E2	3,0	400	10	2,25	620×365×275	13,5	1×22	+2.000
SEH0051H23E2	5,0	230	32	3,75	620×365×275	13,5	1×30	+1.600
SEH0053H40E2	5,0	400	10	3,75	620×365×275	13,5	1×30	+1.600
SEH0083H40E2	8,0	400	16	6,00	620×365×275	13,5	1×30	+1.600
SEH0103H40E2	10,0	400	16	7,50	710×365×275	17,0	1×30	+1.700
SEH0153H40E2	15,0	400	32	11,25	710×365×275	17,0	1×30	+1.700
SEH0253H40E2	25,0	400	50	18,75	890×555×360	34,0	1×40	+2.300
SEH0353H40E2	35,0	400	60	26,25	890×555×360	34,0	1×40	+2.300
SEH0453H40E2	45,0	400	80	33,75	890×555×360	34,0	1×40	+2.300
SEH0653H40E2	65,0	400	100	48,75	945×650×455	44,0	2×40	+2.300

Required water connecting pipes:
 Water drain hose with inside diameter DN 40
 Water supply hose with 3/4" external thread

STULZ Company Headquarters

STULZ GmbH

Holsteiner Chaussee 283
22457 Hamburg
Tel. +49 40 5585-0
Fax +49 40 5585-352
products@stulz.de

STULZ Subsidiaries

GERMANY
AUSTRALIA
AUSTRIA
BELGIUM
BRAZIL
CHINA
FRANCE
INDIA
INDONESIA
ITALY
MEXICO
NETHERLANDS
NEW ZEALAND
POLAND
SINGAPORE
SOUTH AFRICA
SPAIN
UNITED KINGDOM
USA

STULZ Australia Pty. Ltd.

34 Bearing Road
Seven Hills NSW 2147
Tel. +61 (2) 96 74 47 00
Fax +61 (2) 96 74 67 22
sales@stulz.com.au

STULZ Austria GmbH

Industriezentrum NÖ – SÜD,
Straße 15, Objekt 77, Stg. 4, Top 7
2355 Wiener Neudorf
Tel. +43 1 615 99 81-0
Fax +43 1 615 99 81-80
info@stulz.at

STULZ Belgium BVBA

Tervurenlaan 34
1040 Brussels
Tel. +32(470)292020
info@stulz.be

STULZ Brasil

Ar Condicionado Ltda.
Rua Cancioneiro de Évora, 140
Bairro - Santo Amaro São
Paulo-SP, CEP 04708-010
Tel. +55 11 4163 4989
Fax +55 11 2389 6620
comercial@stulzbrasil.com.br

STULZ Air Technology and Services Shanghai Co., Ltd.

Room 406, Building 5
457 North Shanxi Road
Shanghai 200040
Tel: + 86 21 3360 7101
Fax: + 86 21 3360 7138
info@stulz.cn

STULZ France S. A. R. L.

107, Chemin de Ronde
78290 Croissy-sur-Seine
Tel. +33(1)34804770
Fax +33(1)34804779
info@stulz.fr

STULZ-CHSPL (India) Pvt. Ltd.

006, Jagruti Industrial Estate
Mogul Lane, Mahim
Mumbai - 400016
Tel. +91(22)56669446
Fax +91(22)56669448
info@stulz.in

PT STULZ Air Technology Indonesia

Kebayoran Square blok KQ unit A-01
Jalan Boulevard Bintaro Jaya,
Bintaro Sektor 7,
Tangerang Selatan 15229
Tel. +62 21 2221 3982
Fax +62 21 2221 3984
info@stulz.id

STULZ S.p.A.

Via Torricelli, 3
37067 Valeggio sul Mincio (VR)
Tel. +39(045)633 1600
Fax +39(045) 633 1635
info@stulz.it

STULZ México S.A. de C.V.

Avda. Santa Fe No. 170
Oficina 2-2-08, German Centre
Delegación Alvaro Obregon
MX- 01210 México
Distrito Federal
Tel. +52(55)52928596
Fax +52(55)52540257
ventas@stulz.com.mx

STULZ GROEP B. V.

Postbus 75
180 AB Amstelveen
Tel. +31(20)5451 111
Fax +31(20)6458764
stulz@stulz.nl

STULZ New Zealand Ltd.

Unit O, 20 Cain Road
Penrose, Auckland 1061
Tel. +64(9)3603232
Fax +64(9)3602180
sales@stulz.co.nz

STULZ Polska SP. Z O.O.

Budynek Mistral.
Al. Jerozolimskie 162
02 – 342 Warszawa
Tel. +48(22)8833080
Fax +48(22)8242678
info@stulz.pl

STULZ South Africa Pty. Ltd.

Unit 3, Jan Smuts Business Park
Jet Park, Boksburg
Gauteng, South Africa
Tel. +27(0)113972363
Fax +27(0)113973945
aftersales@stulz.co.za

STULZ España S.A.

Avenida de los Castillos 1034
28918 Leganés (Madrid)
Tel. +34(91)5178320
Fax +34(91)5178321
info@stulz.es

STULZ Singapore Pte Ltd.

1 Harvey Road
#04-00 Tan Heng Lee Building
Singapore 369610
Tel. +65 6749 2738
Fax +65 6749 2750
sales@stulz.sg

STULZ U. K. Ltd.

First Quarter,
Blenheim Rd. Epsom
Surrey KT 19 9 QN
Tel. +44(1372)749666
Fax +44(1372)739444
sales@stulz.co.uk

STULZ AIR TECHNOLOGY SYSTEMS (SATS) , INC.


1572 Tilco Drive
Frederick, MD 21704
Tel. +1(301)6202033
Fax +1(301)6625487
info@stulz-ats.com

Technical data subject to change without notice. 1100132.V2.09-17 en · © STULZ GmbH, Hamburg

Close to you around the world

With specialist, competent partners in ten German branches and in subsidiaries and exclusive sales and service agents around the world.

Our ten production sites are situated in Europe, North America and Asia.



You can find out more
on our product page.

For further information, please visit our website at www.stulz.com